

add reference numeral 420 and several lead lines to the arrows connecting the five trading state ovals.

REMARKS

Introduction

The specification has been amended to correct numerous typographical and other errors. Finally, amendments to sheets 1 and 6 of the drawings have been proposed.

The Amendments To The Specification

The specification has been amended to correct numerous typographical and other errors. Mark-up of these amendments are provided in the Appendix. No new matter has been added. The amendments to the specification are fully supported and justified by the specification and drawings as originally filed. More particularly, the amendments to the specification are justified and/or supported at least by the portions of the specification and drawings as set forth in the following table:

TABLE OF SPECIFICATION AMENDMENTS		
Amendment Location Column	Amendment Location Line(s)	Support For Amendment
1	36	Grammatical
1	62	Grammatical

TABLE OF SPECIFICATION AMENDMENTS		
Amendment Location Column	Amendment Location Line(s)	Support For Amendment
2	8	Grammatical
2	10	Grammatical
2	14-16	Grammatical
2	17	Grammatical
2	28-29	Column 2, lines 26-29
2	35	Typographical
2	51-52	Column 2, lines 51-55
3	31	Typographical
3	35	Typographical
4	4	Typographical
4	17	Grammatical
4	26	Typographical
4	55	Column 4, lines 54-55
4	57-58	Column 4, lines 54-58
4	60-61	Column 4, lines 54-58
4	63-64	Grammatical
4	65	Grammatical
4	66-67	Typographical
4	67	Typographical
5	3	Grammatical
5	5	Typographical
5	7-9	Grammatical
5	20-21	Column 5, lines 20-28
5	21	Grammatical
5	22	Grammatical
5	23	Grammatical
5	27-28	Grammatical
5	55	Grammatical

TABLE OF SPECIFICATION AMENDMENTS		
Amendment Location Column	Amendment Location Line(s)	Support For Amendment
5	65	Grammatical
6	4	Grammatical
6	6	Column 6, lines 4-14
6	8-9	Column 6, lines 4-14
6	12-13	Grammatical
6	15	Grammatical
6	16	Grammatical
6	19	Grammatical
6	64	Typographical
7	23	Clarity
7	24	Clarity
7	28	Typographical
8	12	Typographical
8	41-42	Column 8, lines 41-42
8	55	Clarity
9	26	Column 9, lines 23-26
9	48	Clarity
10	16	Clarity
11	8	Column 11, lines 59-67 and column 12, lines 1-6 (QUAD 3A and QUAD 3B)
11	46	Punctuation
12	3	Column 12, lines 20-30 (QUAD 3A)
14	44	Typographical
14	46	Column 4, lines 44-52
14	61-62	Column 15, lines 1-13 (QUAD 5A)
14	63-64	Column 15, lines 18-30 (QUAD 5B)

TABLE OF SPECIFICATION AMENDMENTS		
Amendment Location Column	Amendment Location Line(s)	Support For Amendment
15	53-54	Column 15, lines 49-60
16	24-25	Column 10, lines 36-48

Proposed Amendments
To The Drawings

Applicants have proposed amendments to FIGS. 1 and 4 of the drawings in order to correct typographical errors and to clarify the figure in light of the specification. Pursuant to MPEP § 608.02(r), these amendments are also set forth in a separate Letter to Official Draftsperson which is being filed concurrently herewith. No new matter would be added by the proposed amendments to the drawings, and the proposed amendments are supported and justified by the specification.

More particularly, the proposed amendments to FIG. 1 are supported and justified by the specification at column 7, line 28. The proposed amendments to FIG. 4 are supported and justified by the specification at column 8, lines 53-61.

Accordingly, applicants respectfully request that the proposed amendments of FIGS. 1 and 4 of the drawings be approved so that corrected formal drawings may be filed.

Conclusion

Applicants submit that this application is in condition for allowance. Accordingly, prompt consideration and allowance of this application are respectfully requested.

Respectfully submitted,



Joel Weiss
Registration No. 44,398
Attorney for Applicants
FISH & NEAVE
Customer No. 1473
1251 Avenue of the Americas
New York, NY 10020-1104
Tel.: (212) 596-9000

I Heraby Certify that this
Correspondence is being
Deposited with the U.S.
Postal Service as First
Class Mail in an Envelope
Addressed to:

COMMISSIONER FOR
PATENTS P.O. BOX 2327
ARLINGTON, VA 22202 on

September 26, 2002

Witness 3. Signature van Groenou


Signature of Person Signing